IND-5510-2104E

ANTIRUST PA-C(N)

Solvent-diluting cleaning and temporary rust preventive oil

ANTIRUST PA-C(N) is low viscosity rust prevention oil superior in cleaning characteristics with solvent for the temporary rust prevention.

SPECIAL FEATURES

1. Superior Cleaning Performance

ANTIRUST PA-C(N) shows superior cleaning performance by the function of carefully selected solvent and rust preventive additives.

2. Low Risk of Fire

ANTIRUST PA-C(N) has a high flash point although it contains solvents. So it can be used with low risk of fire.

3. Good Removal

ANTIRUST PA-C(N) can be easily removed by using a petroleum solvent or alkaline process cleaner. In addition, it is relatively superior in heat removal of oil film.

4. Easy to Use

ANTIRUST PA-C(N) is not sticky because petrolatum is not contained and excellent in the working efficiency. It is expected that quantity of application will be decreased due to thin oil film.

APPLICATIONS

For steel sheet metal, various processing parts and machine parts

COATING METHODS

Immersion, Spraying, Brushing

CONTAINERS

200-liter drums and 20-liter cans

TYPICAL PROPERTIES OF ANTIRUST PA-C(N)

	()		
Color	(ASTM)		L1.5
Density	(15°C)	g/cm ³	0.839
Flash point	(PM)	°C	83
Viscosity	(40°C)	mm^2/s	2.52
Metal strip corrosion	(100°C,3h)		1
Humidity cabinet test	(Class A holding time)	h	>168
Wrapped storage	(JIS K2246 6. 30days)	.37,	Pass
Protection	(Indoors)	month	1
Type of film			Semi-dry and transparent film
Film thickness		μm	0.5

Note: The typical properties may be changed without notice. (June 2002).



Handling

Precautions ▼ Follow these precautions when handling this product.

Composition:	Base Oil, Additives
Precautionary pictograms:	
Signal word:	Danger
Hazard Statement:	Combustible liquid
	May be fatal if swallowed and enters airways
Precautionary Statements:	• Do not handle until all safety precautions have been read and understood.
Prevention	Wear protective gloves/protective clothing/eye protection/face protection.
	• Do not allow the eyes to become exposed to the product. Do not swallow the product.
	• Keep away from heat/sparks/open flames/hot surfaces – No smoking.
	• Use explosion-proof electrical/ventilating/lighting/equipment.
	Ground/bond container and receiving equipment.
	Wash hands thoroughly after handling.
	• Do not eat, drink or smoke when using this product.
Response	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
	• If the eyes are exposed to the product: Rinse the eyes with plenty of running water and
	immediately contact a physician.
	• IF ON SKIN: Wash with plenty of soap and water.
	• Do NOT induce vomiting.
	• In case of fire: Use suitable extinguishing media for extinction.
Storage	• The product must be stored in a cool, well-ventilated location where it will not be exposed
	to direct sunlight.
	Containers that have been opened must be tightly sealed.
	Store in a well ventilated place. Keep cool.
	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international
	regulations.
	• If there are any doubts about proper methods of handling the product, contact the point of
	purchase before proceeding with usage.